

One Product, Infinite Benefits





RENTAL EVENT POWER GENERATORS

60 - 200 kVA









60 - 200 kVA

Super soundproofed Canopy

class 1 rated rot-proof polyester fiber

both externally and internally with a nozzle

Soundproofed with durable

Fully washable product

Anti-rollover forklift tunnels to ensure safe lifting

and handling



One Product, infinite Benefits











Remote monitoring

Features



Side by side on the truck bed



Side by side on site



Remote monitoring System



Water filter separator

Terminal box accessible from the outside

with cable holders to ensure a secure connection





External fuel connectors to ease the connection

to an external tank





Inspection door for radiator cleaning

5X

Daily tank

edge bulkheads



Control module



ComAp InteliGen 200

for QPA PANEL



Panel on board

Central lifting lug

and four lateral hooks

Extreme low noise emission

for urban areas





60/100 kVA



150/200 kVA

Equipmemnt

- Command and control module
- Emergency stop button
- Magneto-thermal switch with release coil
- Differential protection adjustable and excludible
- Power terminal block for cables with eye
- Slide and cable holder for power cable entry
- CEE 2P+T 16A 230V IP65 plug to supply the battery charger and pre-heater
- Battery charger

Standard sockets

- n.1 SCHUKO 2P+T 16A 230V IP55
- n.1 CEE 2P+T 16A 230V IP65
- n.1 CEE 3P+N+T 16A 400V IP65
- **n.1 CEE 3P+N+T 32A 400V** IP65
- n.1 CEE 3P+N+T 63A 400V IP65
- General Differential Protection 0.03A*
- Circuit breaker for each socket



















www.elcos.net


Easy Operation



Cable outlet



Refuelling at ease to an external fuel tank with **Quick Coupling connectors**



Tank filler wide tank refilling point



Central Lifting hook / four lateral lifting hooks oversized and reinforced



Powerlocks



3 ways valve to switch between internal or external



lockable, it is used during maintenance and storage



Anti-rollover forklift tunnels to ensure safe lifting and handling











www.elcos.net












Easy Maintenance



Inspectable fuel hatch





Oil suction pump



Hot and rotating parts protection grid



Battery compartment externally accessible for easy maintenance



Inspection door for radiator cleaning



Document holder for documents supplied with the GS



Internal LED lighting



ELCOS SRL
Strada Statale 234 Km 58.250 26023 Grumello Cremonese CR - Italy
tel +39 0372 72330 - fax +39 0372 7233220
Pl 01084730199
info@elcos.net - elcos@pec.elcos.net







